## **EAST Search History**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	quality adj assuarance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:53
L2	14784	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L3	770	L2 and digital adj signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L4	33	L3 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L5	19	L4 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L6	19	L5 and (compar\$ match\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L7	19	L4 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L8	19	L7 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L9	2	*6233565*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54

L10	2	L9 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L11	1	L9 and compar\$ and match \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L12	1	L9 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L13	2	"6233565",pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L14	1	L13 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L15	0	L13 and retriev\$3 with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02
L16	1	L13 and retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L17	1	L13 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L18	1	L13 and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L19	2	*6233565**.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54

L20	2	L19 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L21	1	L19 and request same (match\$3 compar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L22	1	L19 and match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L23	2	L19 and secur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L24	0	quality adj assurance with non-secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L25	176	quality adj assurance with checking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L26	7	L25 and "709"/\$.cols.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L27	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L28	2	"20050021972"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L29	1	L28 and corrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L30	O	(client user) with request with server with provider with (content data) with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L31	3	(client user) with request with server with provider with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L32	0	L31 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L33	157	server with retriev\$3 with (check\$3 verif\$6 matching) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L34	13	L33 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L35	14	server with retriev\$3 with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L36	12	server with (check\$3 verif \$6 matching) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L37	0	L36 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L38	681	server with (check\$3 verif \$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L39	18	server with (check\$3 verif \$6 matching) with usage same signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L40	O	L39 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L41	167	server with (check\$3 verif \$6 matching) with usage and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L42	18	L41 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L43	0	"6584466".pn. with filter \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L44	2	"6584466".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L45	1	L44 and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L46	11	filter\$6 with signature with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L47	0	L40 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L48	169	(check\$3 verif\$6) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L49	13	L48 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L50	3413	server with (check\$3 verif \$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L51	260	L50 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L52	77	L51 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L53	15	server with retrieval with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L54	2	L53 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L55	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L56	797	compression with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L57	281	L56 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L58	13	compression with token with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L59	0	L58 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L60	52	compression with token with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L61	34	L60 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L62	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L63	1	L62 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L64	0	L62 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L65	25	dient with check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L66	0	L65 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L67	761	check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L68	1111	L67 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L69	162	check\$3 with (digital electronic) adj2 signature and calculat\$3 with checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L70	26	L69 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L71	8319	(user client) with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L72	13	L70 and L71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L <b>7</b> 3	1929	client with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L74	4	L70 and L73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L75	178	(service web) adj provider with quality with assur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L76	26	L75.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L77	0	L76 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L78	5	L75 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L79	67	(service web) adj provider with quality with verif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L80	5	L79 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L81	0	quality with checking with prior adj transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L82	1	checking with prior adj transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L83	4	checking with prior adj3 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L84	1	quality with checking with prior adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L85	4	L83 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L86	0	L84 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L87	0	checking adj3 provider with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L88	273	checking with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L89	1	checking with (prior before) adj4 transfer\$4 with provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L90	0	L89 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L91	6	checking with (prior before) adj4 transfer\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L92	4	L91 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L93	6	checking with (prior before) adj4 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L94	4	L93 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L95	98	quality with checking with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L96	7	L95 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L97	51	checksum with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L98	18	L97 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L99	2	checksum with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54

L100	2	checksum with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L101	188	integrity with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L102	79	L101 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L103	4	integrity with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L104	4	integrity with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L105	222	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L106	10	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4) with (client server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L107	2	L106 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L108	222	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L109	89	L108 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L110	186	virus with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L111	55	L110 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L112	151	virus with (prior before) adj5 (transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L113	48	L112 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L114	2	*5623600*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L115	1	L114 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L116	0	quality adj assuarance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L117	14784	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L118	770	L117 and digital adj signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L119	33	L118 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L120	19	L119 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L121	19	L120 and (compar\$ match \$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L122	19	L119 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L123	19	L122 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L124	2	"6233565" ,pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L125	2	L124 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L126	1	L124 and compar\$ and match\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L127	1	L124 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L128	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L129	1	L128 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L130	0	L128 and retriev\$3 with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L131	1	L128 and retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L132	1	L128 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L133	1	L128 and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L134	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L135	2	L134 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L136	1	L134 and request same (match\$3 compar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L137	1	L134 and match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L138	2	L134 and secur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L139	0	quality adj assurance with non-secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L140	176	quality adj assurance with checking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L141	7	L140 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L142	3	*6804778*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L143	2	"20050021972"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L144	1	L143 and corrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L145	0	(client user) with request with server with provider with (content data) with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L146	3	(client user) with request with server with provider with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L147	0	L146 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L148	157	server with retriev\$3 with (check\$3 verif\$6 matching) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L149	13	L148 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54

L150	14	server with retriev\$3 with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L151	12	server with (check\$3 verif \$6 matching) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L152	0	L151 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L153	681	server with (check\$3 verif \$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L154	18	server with (check\$3 verif \$6 matching) with usage same signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L155	0	L154 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L156	167	server with (check\$3 verif \$6 matching) with usage and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L157	18	L156 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L158	0	"6584466".pn. with filter \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L159	2	"6584466".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L160	1	L159 and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L161	11	filter\$6 with signature with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L162	0	L155 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L163	169	(check\$3 verif\$6) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L164	13	L163 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L165	3413	server with (check\$3 verif \$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L166	260	L165 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L167	777	L166 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L168	15	server with retrieval with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L169	2	L168 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L170	3	*6804778*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L171	797	compression with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L172	281	L171 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L173	13	compression with token with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L174	0	L173 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L175	52	compression with token with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L176	34	L175 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L177	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L178	1	L177 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L179	0	L177 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54

L180	25	dient with check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L181	0	L180 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L182	761	check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L183	111	L182 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L184	162	check\$3 with (digital electronic) adj2 signature and calculat\$3 with checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L185	26	L184 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L186	8319	(user client) with (digital electronic) adj2 signature	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L187	13	L185 and L186	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L188	1929	dient with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L189	4	L185 and L188	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L190	178	(service web) adj provider with quality with assur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L191	26	L190.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L192	0	L191 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L193	5	L190 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L194	67	(service web) adj provider with quality with verif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L195	5	L194 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L196	0	quality with checking with prior adj transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L197	1	checking with prior adj transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L198	4	checking with prior adj3 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L199	1	quality with checking with prior adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54

L200	4	L198 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L201	0	L199 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L202	0	checking adj3 provider with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L203	273	checking with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L204	1	checking with (prior before) adj4 transfer\$4 with provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L205	0	L204 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L206	6	checking with (prior before) adj4 transfer\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L207	4	L206 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2009/04/02 11:54
L208	6	checking with (prior before) adj4 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L209	4	i208 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L210	98	quality with checking with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L211	7	L210 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L212	51	checksum with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L213	18	L212 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L214	2	checksum with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L215	2	checksum with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L216	188	integrity with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L217	79	L216 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L218	4	integrity with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L219	4	integrity with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L220	222	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L221	10	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4) with (client server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L222	2	L221 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L223	222	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L224	89	L223 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L225	186	virus with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L226	55	L225 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L227	151	virus with (prior before) adj5 (transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L228	48	L227 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L229	2	"5623600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L230	1	L229 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L231	2	*6076166*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L <b>2</b> 32	1	L231 and web adj site	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L233	0	quality adj assuarance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L234	14784	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L235	770	L234 and digital adj signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L236	33	L235 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L237	19	L236 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L238	19	L237 and (compar\$ match \$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L239	19	L236 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54

L240	19	L239 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L241	2	*6233565**.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L242	2	L241 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L243	1	L241 and compar\$ and match\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L244	1	L241 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L245	2	*6233565**.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L246	1	L245 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L247	0	L245 and retriev\$3 with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L248	1	L245 and retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L249	1	L245 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L250	<del></del>	L245 and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L251	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L252	2	L251 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L253	1	L251 and request same (match\$3 compar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L254	1	L251 and match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L255	2	L251 and secur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L256	0	quality adj assurance with non-secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L257	176	quality adj assurance with checking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L258	7	L257 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L259	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L260	2	"20050021972"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L261	1	L260 and corrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L262	0	(client user) with request with server with provider with (content data) with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L263	3	(client user) with request with server with provider with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L264	0	L263 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L265	157	server with retriev\$3 with (check\$3 verif\$6 matching) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L266	13	L265 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L267	14	server with retriev\$3 with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L268	12	server with (check\$3 verif \$6 matching) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L269	0	L268 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L270	681	server with (check\$3 verif \$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L271	18	server with (check\$3 verif \$6 matching) with usage same signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L272	0	L271 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L273	167	server with (check\$3 verif \$6 matching) with usage and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L274	18	L273 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L275	0	"6584466".pn. with filter \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L276	2	"6584466".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L277	1	L276 and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L278	11	filter\$6 with signature with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L279	0	L272 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L280	169	(check\$3 verif\$6) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L281	13	L280 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L <b>2</b> 82	3413	server with (check\$3 verif \$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L283	260	L282 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L284	77	L283 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L285	15	server with retrieval with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L286	2	L285 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L287	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L288	797	compression with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L289	281	L288 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L290	13	compression with token with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L291	0	L290 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L292	52	compression with token with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L293	34	1292 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L294	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L295	1	L294 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L296	0	L294 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L297	25	dient with check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L298	0	i.297 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L299	761	check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L300	1111	L299 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L301	162	check\$3 with (digital electronic) adj2 signature and calculat\$3 with checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L302	26	L301 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L303	8319	(user client) with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L304	13	L302 and L303	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L305	1929	client with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L306	4	L302 and L305	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L307	178	(service web) adj provider with quality with assur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L308	26	L307.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L309	0	L308 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L310	5	L307 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L311	67	(service web) adj provider with quality with verif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L312	5	L311 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L313	0	quality with checking with prior adj transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L314	1	checking with prior adj transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L315	4	checking with prior adj3 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L316	1	quality with checking with prior adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L317	4	L315 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L318	0	L316 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L319	0	checking adj3 provider with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54

L320	273	checking with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L321	1	checking with (prior before) adj4 transfer\$4 with provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L322	0	L321 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L323	6	checking with (prior before) adj4 transfer\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L324	4	L323 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L325	6	checking with (prior before) adj4 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L326	4	L325 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L327	98	quality with checking with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L328	7	L327 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L329	51	checksum with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L330	118	L329 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L331	2	checksum with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L332	2	checksum with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L333	188	integrity with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L334	79	L333 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L335	4	integrity with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L336	4	integrity with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L337	222	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L338	10	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4) with (client server provider)	US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L339	2	L338 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L340	222	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L341	89	L340 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L342	186	virus with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L343	55	L342 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L344	151	virus with (prior before) adj5 (transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L345	48	1344 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L346	2	"5623600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L347	1	L346 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2009/04/02 11:54
L348	0	quality adj assuarance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L349	14784	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L350	770	L349 and digital adj signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L351	33	L350 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L352	19	L351 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L353	19	L352 and (compar\$ match \$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L354	19	L351 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L355	19	L354 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L356	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L357	2	L356 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L358	1	L356 and compar\$ and match\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L359	1	L356 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L360	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L361	1	L360 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L362	0	L360 and retriev\$3 with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L363	1	L360 and retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L364	1	L360 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L365	1	L360 and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L366	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L367	2	L366 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L368	1	L366 and request same (match\$3 compar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L369	1	L366 and match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54

L370	2	L366 and secur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L371	0	quality adj assurance with non-secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L372	176	quality adj assurance with checking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L373	7	L372 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L374	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L375	2	"20050021972"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L376	1	L375 and corrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L377	0	(client user) with request with server with provider with (content data) with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L378	3	(client user) with request with server with provider with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L379	0	L378 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L380	157	server with retriev\$3 with (check\$3 verif\$6 matching) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L381	13	L380 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L382	14	server with retriev\$3 with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L383	12	server with (check\$3 verif \$6 matching) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L384	0	L383 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L385	681	server with (check\$3 verif \$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L386	18	server with (check\$3 verif \$6 matching) with usage same signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L387	0	L386 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L388	167	server with (check\$3 verif \$6 matching) with usage and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L389	18	L388 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L390	0	"6584466".pn. with filter \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L391	2	"6584466".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L392	1	L391 and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L393	11	iller\$6 with signature with US-PGPUB; US-PAT; EPO; JPO; DEFWENT; IBM_TDB		2009/04/02 11:54		
L394	0	L387 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L395	169	(check\$3 verif\$6) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L396	13	L395 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L397	3413	server with (check\$3 verif \$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L398	260	L397 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L399	77	L398 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54

L400	15	server with retrieval with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L401	2	L400 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L402	3	*6804778*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L403	797	compression with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L404	281	L403 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L405	13	compression with token with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L406	0	L405 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L407	52	compression with token with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L408	34	L407 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L409	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L410	11	L409 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L411	0	L409 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L412	25	dient with check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L413	0	(L412 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L414	761	check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L415	111	L414 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L416	162	check\$3 with (digital electronic) adj2 signature and calculat\$3 with checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L417	26	L416 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L418	8319	(user client) with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L419	13	L417 and L418	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L420	1929	client with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L421	4	L417 and L420	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L422	178	(service web) adj provider with quality with assur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L423	26	L422.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L424	0	L423 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L425	5	L422 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L426	67	(service web) adj provider with quality with verif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L427	5	L426 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L428	0	quality with checking with prior adj transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L429	1	checking with prior adj transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L430	4	checking with prior adj3 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L431	1	quality with checking with prior adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L432	4	L430 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L433	0	L431 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L434	0	checking adj3 provider with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L435	273	checking with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L436	1	checking with (prior before) adj4 transfer\$4 with provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L437	0	L436 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L438	6	checking with (prior before) adj4 transfer\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L439	4	L438 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L440	6	checking with (prior before) adj4 transfer\$4 with dient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L441	4	L440 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L442	98	8 quality with checking with US PGPUB; USPAT; EPO; USPAT; EPO; UPO; DEFEMENT; IBM_TDB		ON	2009/04/02 11:54	
L443	7	L442 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L444	51	checksum with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L445	18	L444 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L446	2	checksum with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L447	2	checksum with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L448	188	integrity with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L449	79	L448 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L450	4	integrity with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L451	4	integrity with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L452	222	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L453	10	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4) with (client server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L454	2	L453 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L455	222	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L456	89	L455 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L457	186	virus with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L458	55	L457 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L459	151	virus with (prior before) adj5 (transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/02 11:54

L460	48	L459 and @ad< "1999	90415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L461	2	"5623600".	pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L462	1	L461 and co	ompar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 11:54
L466	265	"3755862" "3812476" "3846212" "4065756" "4193121" "4218582" "4405829" "4465829" "4465829" "4465829" "4465829" "4475781" "475781" "477573" "47600" "478528" "4774500" "478528" "4865887" "4873687" "4885885" "4885865" "4885865" "4885865" "4885865" "489820" "4898371" "4983371" "4983371" "4983371" "4983371" "4983371" "4983371" "4985078" "4998204" "5005200" "50777792" "5111030" "511077792"	"4472810" "4427414" "4447490" "4445300" "4485300" "4759534" "475954" "475954" "475954" "475954" "4763317" "4775246" "4786220" "4803725" "4812994" "4853961" "4853961" "4853961" "4853961" "4854618" "4864618" "490903" "4901241" "492506479" "4944006" "4949381" "4975950"	USPAT; USOCR	OR	ON	2009/04/02

"5159634" I	"5166926" I	1	1 1	
	"5177342" I			
	"5185243"			
	"5191410"			
3 1	"5197064"			
"5200903"	"5202834"			
"5214702"	"5220604"			
"5224046" I	"5224163" İ			
"5224166" i	"5233531" j			
	"5243532"			
	"5243654"			
	"5247347"			
	"5255130"			
	"5257197"			
	"5261002"			
"5263165"	"5274768"			
"5276901" I	"5309363"			
"5315658" İ	"5319562"			
"5319705" i	"5319776" i			
	"5335278"			
	"5345595"			
"5347580").				
( 3333302	"5357563"			
	"5369705"			
	"5375172"			
	"5387783"			
	"5396339"			
"5406619"	"5412717"			
"5414455"	"5414833"			
"5420927" i	"5440336" İ			
	"5442390"			
	"5444616" I			
	"5444850" I			
	"5448668" I			
			1	
	"5452203"			
	"5454038"		2	
	"5473667"			
	"5480239"			
"5485510"	"5485575"		***************************************	
"5491791"	"5497421"		****	
"5509071" I	"5510992"		upos de la constante de la con	
"5511163" i	"5513112"		***************************************	
"5513250" i	"5519778"		****	
	"5530438" I		-	
	"5537475"		*	
	"5570465"		-	
	"5583779" I			
	"5586036"			
	"5592664"			
	"5598477"			
	"5602921"			
"5603054"	"5604804"			
"5606507" i	"5606613"			
	"5612889"			
	"5631947"			
	"5636139"			
			1	
"5638448"				

\$2 115	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:44
S1 0	quality adj assuarance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:59
L467 706	("5623600"   "5636139"   "6047270"   "6076166"   "6233565"   "62631313"   "6336078"   "6389421"   "6389538"   "6668246"). URPN.	USPAT	OR	ON	2009/04/02 13:07
	"5646998"   "5649187"   "5655007"   "5661485"   "566624"   "5666420"   "5666424"   "5666420"   "5666424"   "5666420"   "5675734"   "5682318"   "5675734"   "5682318"   "5689708"   "5699528"   "5706335"   "570422"   "5710887"   "5717597"   "5724567"   "5737539"   "5724567"   "5774393"   "5748890"   "5754939"   "5748890"   "5754939"   "5781438"   "57781128"   "5781438"   "5781128"   "5796952"   "5801364"   "5796952"   "5801364"   "578044"   "581290"   "5812991"   "5815601"   "5812991"   "5815601"   "5812991"   "5815601"   "5812991"   "5815601"   "5812991"   "5815601"   "581291"   "5815601"   "581291"   "5815601"   "581291"   "5815601"   "581291"   "5815601"   "581291"   "5815601"   "581291"   "5815601"   "581291"   "5815601"   "581291"   "5815601"   "58160341"   "5956716"   "5960374") PN. OR ( "5961557"   "5991399"   "6034315"   "6064739"   "6079866"   "6115643"   "6079866"   "6115643"   "6275936"   "6275939"   "628446"   "6275939"   "6284869"   PN. PN.				

S3	501	S2 and digital adj signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:59
S4	31	S3 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:03
S5	17	S4 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:02
S6	17	S5 and (compar\$ match\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:01
S7	17	S4 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:04
S8	17	S7 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:08
S9	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:25
S10	2	S9 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:08
S11	1	S9 and compar\$ and match \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:09
S12	1	S9 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:49

S13	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:25
S14	1	S13 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:27
S15	0	S13 and retriev\$3 with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:28
S16	1	S13 and retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:32
S17	1	S13 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:43
S18	1	S13 and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:44
S19	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:49
\$20	2	S19 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:50
S21	1	S19 and request same (match\$3 compar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:01
S22	1	S19 and match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/09/06 12:04

S23	2	S19 and secur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:04
S24	0	quality adj assurance with non-secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:44
S25	151	quality adj assurance with checking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:44
S26	4	S25 and "709"/\$.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:47
S27	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:47
S28	2	"20050021972"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:16
S29	1	S28 and corrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:16
<b>S</b> 30	0	(client user) with request with server with provider with (content data) with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:45
S31	2	(client user) with request with server with provider with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:45
S32	0	S31 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/03/24 10:47

S33	134	server with retriev\$3 with (check\$3 verif\$6 matching) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:48
S34	13	S33 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:48
S35	12	server with retriev\$3 with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:53
S36	10	server with (check\$3 verif \$6 matching) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:53
S37	0	S36 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:53
S38	558	server with (check\$3 verif \$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:54
S39	15	server with (check\$3 verif \$6 matching) with usage same signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:54
S40	0	S39 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:54
S41	138	server with (check\$3 verif \$6 matching) with usage and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:54
S42	18	S41 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/03/24 10:54

S43	0	"6584466".pn. with filter \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:02
S44	2	*6584466*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:02
S45	1	S44 and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:02
S46	11	filter\$6 with signature with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:04
S47	0	S40 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:04
S48	144	(check\$3 verif\$6) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:05
S49	13	S48 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:05
S50	2789	server with (check\$3 verif \$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:07
S51	259	S50 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:07
S52	76	S51 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:07

S53	13	server with retrieval with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:08
S54	2	S53 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:08
S55	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:09
S56	712	compression with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:34
S57	280	S56 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:34
S58	10	compression with token with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:35
S59	0	S58 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:35
S60	48	compression with token with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:35
S61	34	S60 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:35
S62	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:55

S63	T	S62 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:55
S64	0	S62 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:04
S65	24	client with check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:16
S66	0	S65 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:16
S67	660	check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:17
S68	111	S67 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:17
S69	137	check\$3 with (digital electronic) adj2 signature and calculat\$3 with checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:17
S70	26	S69 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:17
S71	7064	(user client) with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:19
S72	13	S70 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/03/24 12:19

S73	1648	client with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:19
S74	4	S70 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:20
S75	147	(service web) adj provider with quality with assur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:44
S76	19	S75.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:44
S77	0	S76 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:44
S78	5	S75 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:44
S79	63	(service web) adj provider with quality with verif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:47
S80	5	S79 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:47
S81	0	quality with checking with prior adj transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:58
S82	1	checking with prior adj transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/07/28 11:59

S83	4	checking with prior adj3 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:59
S84	1	quality with checking with prior adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:59
S85	4	S83 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:59
S86	0	S84 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:59
S87	0	checking adj3 provider with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:00
S88	258	checking with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:01
S89	1	checking with (prior before) adj4 transfer\$4 with provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:01
S90	0	S89 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:01
S91	6	checking with (prior before) adj4 transfer\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:01
S92	4	S91 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/07/28 12:01

S93	6	checking with (prior before) adj4 transfer\$4 with dient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:02
S94	4	S93 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:02
S95	83	quality with checking with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:10
S96	7	S95 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:10
S97	50	checksum with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:33
S98	18	S97 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:33
S99	2	checksum with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:34
S100	2	checksum with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:34
S101	182	integrity with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:36
S102	79	S101 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/07/28 12:36

S103	4	integrity with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:37
S104	4	integrity with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:37
S105	214	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:39
S106	10	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4) with (client server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:39
S107	2	S106 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:39
S108	214	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:40
S109	89	S108 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:40
S110	178	virus with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:58
S111	55	S110 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:58
S112	144	virus with (prior before) adj5 (transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:59

S113	48	S112 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:59
S114	2	*5623600*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 14:04
S115	1	S114 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 14:04
S116	0	quality adj assuarance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S117	13282	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S118	643	S117 and digital adj signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S119	32	S118 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S120	18	S119 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S121	18	\$120 and (compar\$ match \$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S122	18	S119 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

S123	18	S122 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S124	2	*6233565*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S125	2	S124 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S126	1	S124 and compar\$ and match\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S127	1	S124 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S128	2	*6233565*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S129	1	S128 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S130	0	S128 and retriev\$3 with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2008/07/30 13:34
S131	1	S128 and retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S132	1	S128 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/07/30 13:34

S133	1	S128 and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S134	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S135	2	S134 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S136	1	S134 and request same (match\$3 compar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S137	1	S134 and match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S138	2	S134 and secur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S139	0	quality adj assurance with non-secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S140	160	quality adj assurance with checking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S141	5	S140 and "709"/\$.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S142	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/07/30 13:34

S143	2	"20050021972"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S144	1	S143 and corrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S145	0	(client user) with request with server with provider with (content data) with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S146	2	(client user) with request with server with provider with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S147	0	S146 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S148	143	server with retriev\$3 with (check\$3 verif\$6 matching) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S149	13	S148 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S150	12	server with retriev\$3 with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S151	11	server with (check\$3 verif \$6 matching) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S152	0	S151 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/07/30 13:34

S153	593	server with (check\$3 verif \$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S154	17	server with (check\$3 verif \$6 matching) with usage same signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S155	0	S154 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S156	150	server with (check\$3 verif \$6 matching) with usage and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S157	18	\$156 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S158	0	"6584466".pn. with filter \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S159	2	"6584466".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S160	1	S159 and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S161	11	filter\$6 with signature with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S162	0	S155 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

S163	152	(check\$3 verif\$6) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S164	13	S163 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S165	3008	server with (check\$3 verif \$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S166	259	S165 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S167	76	S166 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S168	13	server with retrieval with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S169	2	S168 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S170	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2008/07/30 13:34
S171	749	compression with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S172	281	S171 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/07/30 13:34

S173	113	compression with token with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S174	0	S173 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S175	51	compression with token with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S176	34	S175 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S177	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S178	1	S177 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S179	0	S177 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S180	24	dient with check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S181	0	S180 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S182	697	check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/07/30 13:34

S183	1111	S182 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S184	146	check\$3 with (digital electronic) adj2 signature and calculat\$3 with checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S185	26	S184 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S186	7560	(user client) with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S187	13	S185 and S186	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S188	1769	client with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S189	4	S185 and S188	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S190	153	(service web) adj provider with quality with assur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S191	21	\$190.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S192	0	S191 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

S193	5	S190 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S194	63	(service web) adj provider with quality with verif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S195	5	S194 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S196	0	quality with checking with prior adj transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S197	1	checking with prior adj transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S198	4	checking with prior adj3 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S199	1	quality with checking with prior adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$200	4	S198 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S201	0	S199 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S202	0	checking adj3 provider with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/07/30 13:34

\$203	258	checking with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S204	1	checking with (prior before) adj4 transfer\$4 with provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$205	0	S204 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$206	6	checking with (prior before) adj4 transfer\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$207	4	S206 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S208	6	checking with (prior before) adj4 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$209	4	\$208 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S210	83	quality with checking with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S211	7	S210 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S212	50	checksum with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/07/30 13:34

S213	18	S212 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$214	2	checksum with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$215	2	checksum with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$216	182	integrity with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$217	79	S216 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$218	4	integrity with (prior before) adj5 transfer\$6 with server	US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$219	4	integrity with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$220	214	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S221	10	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4) with (client server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$222	2	S221 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/07/30 13:34

S223	214	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S224	89	S223 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S225	178	virus with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S226	55	\$225 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S227	144	virus with (prior before) adj5 (transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S228	48	S227 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$229	2	"5623600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
\$230	1	S229 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S231	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 08:50
S232	1	S231 and web adj site	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 08:50

\$233	0	quality adj assuarance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S234	14066	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$235	717	S234 and digital adj signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S236	32	S235 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S237	18	S236 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$238	18	S237 and (compar\$ match \$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$239	18	\$236 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$240	18	\$239 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$241	2	*6233565*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$242	2	S241 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:03

S243	1	S241 and compar\$ and match\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S244	1	S241 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S245	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S246	1	S245 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S247	0	S245 and retriev\$3 with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S248	1	S245 and retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$249	1	S245 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$250	1	\$245 and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S251	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$252	2	\$251 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:03

\$253	1	\$251 and request same (match\$3 compar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S254	1	S251 and match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S255	2	S251 and secur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$256	0	quality adj assurance with non-secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$257	167	quality adj assurance with checking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$258	6	\$257 and "709"/\$.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
<b>S2</b> 59	3	"6804778",pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$260	2	"20050021972"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S261	1	S260 and corrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S262	0	(client user) with request with server with provider with (content data) with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:03

S263	2	(client user) with request with server with provider with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S264	0	S263 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S265	148	server with retriev\$3 with (check\$3 verif\$6 matching) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$266	13	S265 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S267	13	server with retriev\$3 with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$268	12	server with (check\$3 verif \$6 matching) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S269	0	\$268 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$270	644	server with (check\$3 verif \$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S271	18	server with (check\$3 verif \$6 matching) with usage same signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S272	0	\$271 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:03

S273	158	server with (check\$3 verif \$6 matching) with usage and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S274	18	\$273 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S275	0	"6584466".pn. with filter \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S276	2	"6584466".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S277	1	\$276 and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S278	11	filter\$6 with signature with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
<b>S</b> 279	0	\$272 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$280	158	(check\$3 verif\$6) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S281	13	\$280 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S282	3208	server with (check\$3 verif \$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:03

\$283	259	\$282 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S284	76	S283 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$285	13	server with retrieval with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S286	2	S285 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S287	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$288	777	compression with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$289	281	S288 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S290	13	compression with token with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S291	0	S290 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S292	52	compression with token with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:03

\$293	34	S292 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S294	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$295	1	S294 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S296	0	S294 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S297	24	client with check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S298	0	8297 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S299	732	check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$300	111	S299 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S301	154	check\$3 with (digital electronic) adj2 signature and calculat\$3 with checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S302	26	S301 and   @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:03

S303	7934	(user client) with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S304	13	\$302 and \$303	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S305	1847	client with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S306	4	S302 and S305	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$307	163	(service web) adj provider with quality with assur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$308	24	\$307.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S309	0	S308 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$310	5	S307 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S311	63	(service web) adj provider with quality with verif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$312	5	S311 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:03

S313	0	quality with checking with prior adj transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S314	1	checking with prior adj transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S315	4	checking with prior adj3 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S316	1	quality with checking with prior adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$317	4	S315 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S318	0	S316 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S319	0	checking adj3 provider with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S320	269	checking with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S321	1	checking with (prior before) adj4 transfer\$4 with provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S322	0	S321 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:03

S323	6	checking with (prior before) adj4 transfer\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S324	4	S323 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S325	6	checking with (prior before) adj4 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S326	4	\$325 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S327	90	quality with checking with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S328	7	S327 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S329	50	checksum with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$330	18	3329 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S331	2	checksum with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S332	2	checksum with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03

S333	183	integrity with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S334	79	S333 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$335	4	integrity with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S336	4	integrity with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$337	217	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S338	10	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4) with (client server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$339	2		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
<b>S34</b> 0	217	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S341	89	S340 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S342	182	virus with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:03

S343	55	S342 and @ad<"19990415"	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S344	148	virus with (prior before) adj5 (transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$345	48	S344 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S346	2	*5623600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S347	1	\$346 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$348	0	quality adj assuarance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
<b>S</b> 349	14066	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
<b>S3</b> 50	717	S349 and digital adj signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S351	32	\$350 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S352	18	S351 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03

S353	18	\$352 and (compar\$ match \$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
\$354	18	S351 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
S355	18	S354 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S356	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
\$357	2	S356 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
\$358	1	S356 and compar\$ and match\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
\$359	1	S356 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
\$360	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S361	1	\$360 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S362	0	S360 and retriev\$3 with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:04

S363	1	S360 and retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
\$364	1	S360 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S365	1	S360 and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S366	2	*6233565**,pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S367	2	S366 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S368	1	S366 and request same (match\$3 compar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S369	1	S366 and match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
\$370	2	S366 and secur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S371	0	quality adj assurance with non-secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S372	167	quality adj assurance with checking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04

S373	6	S372 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S374	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
\$375	2	"20050021972"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S376	1	S375 and corrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S377	0	(client user) with request with server with provider with (content data) with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S378	2	(client user) with request with server with provider with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S379	0	S378 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
\$380	148	server with retriev\$3 with (check\$3 verif\$6 matching) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S381	13	S380 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S382	13	server with retriev\$3 with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:04

S383	12	server with (check\$3 verif \$6 matching) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S384	0	S383 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S385	644	server with (check\$3 verif \$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S386	18	server with (check\$3 verif \$6 matching) with usage same signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S387	0	S386 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
\$388	158	server with (check\$3 verif \$6 matching) with usage and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S389	18	S388 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
\$390	0	"6584466".pn. with filter \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S391	2	"6584466".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S392	1	S391 and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:04

S393	111	filter\$6 with signature with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S394	0	S387 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
\$395	158	(check\$3 verif\$6) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S396	13	\$395 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S397	3208	server with (check\$3 verif \$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
\$398	259	S397 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S399	76	S398 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S400	13	server with retrieval with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S401	2	\$400 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S402	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04

S403	777	compression with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S404	281	S403 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S405	13	compression with token with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S406	0	S405 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S407	52	compression with token with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S408	34	S407 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S409	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S410	1	S409 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S411	0	\$409 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S412	24	dient with check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:04

S413	0	S412 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S414	732	check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S415	1111	S414 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S416	154	check\$3 with (digital electronic) adj2 signature and calculat\$3 with checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S417	26	S416 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S418	7934	(user client) with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S419	13	S417 and S418	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S420	1847	client with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S421	4	S417 and S420	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S422	163	(service web) adj provider with quality with assur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:04

S423	24	S422.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S424	0	S423 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S425	5	S422 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S426	63	(service web) adj provider with quality with verif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S427	5	S426 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S428	0	quality with checking with prior adj transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S429	1	checking with prior adj transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S430	4	checking with prior adj3 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S431	1	quality with checking with prior adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S432	4	S430 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04

S433	0	S431 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S434	0	checking adj3 provider with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S435	269	checking with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S436	1	checking with (prior before) adj4 transfer\$4 with provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S437	0	S436 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S438	6	checking with (prior before) adj4 transfer\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S439	4	9438 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S440	6	checking with (prior before) adj4 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2008/12/01 09:04
S441	4	9440 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S442	90	quality with checking with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:04

S443	7	S442 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S444	50	checksum with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S445	18	S444 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S446	2	checksum with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S447	2	checksum with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S448	183	integrity with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S449	79	S448 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S450	4	integrity with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S451	4	integrity with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S452	217	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/12/01 09:04

S453	10	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4) with (client server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S454	2	S453 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S455	217	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S456	89	S455 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S457	182	virus with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S458	55	S457 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S459	148	virus with (prior before) adj5 (transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S460	48	\$459 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S461	2	"5623600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S462	1	S461 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04

<sup>4/2/09 1:08:51</sup> PM

C:\ Documents and Settings\ awang2\ My Documents\ EAST\ Workspaces\ 10807514.pn..wsp

